STANDARD LIST

MACHINE OPERATOR ASSISTANT – PLASTIC PROCESSING

SECTOR: RUBBER /PETROCHEMICAL

SUB-SECTOR: MANUFACTURING/ PLASTIC PROCESSING

REFERENCE ID: RSC/Q4801 (CPC/Q0103)



State Council of Educational Research and Training(SCERT) Vidyabhavan, Poojappura, Thiruvananthapuram - 695 012 www.scert.kerala.gov.in This list of equipment, tool, furniture&consumablesare prepared for a batch of 30 students

	<u>Part A – EC</u>	<u>QIPMENTS</u>		
Sl. No	NAME	SPECIFICATION	QUANTITY	
1	Steel Rule	300 mm in English and Metric combined	15	
2	Engineer's Square	150 mm with knife edge	10	
3	Bench Vice	150 mm	5	
4	Outside micrometer	0-25 mm, with 0.01 mm least count	5	
5	Vernier caliper	Range 200 mm, with 0.02 mm least count	5	
6	Vernier height gauge	Range 300 mm, with 0.02 mm least count	1	
7	Pie tape		5,	
8	Pillar Drilling Machine	0-20 mm capacity.	1	
9	Bench Pedestal Grinding machine (General purpose)	D.E. with 20 cm dia. Capacity	1	
10	MFI apparatus	0 To 400 ⁰ C	1	
11	Plastic scrap grinder	9" blade type	1	
12	Pre heater 12 trays	25 kg capacity 20 minutes drying	1	
13	Hand operated Injection Moulding machine	30 gram capacity	". <mark>1</mark>	
14	Automatic Injection Moulding Machine	50 T capacity (with Microprocessor/PLC controller)	1	
15	Hand operated Blow Moulding Machine with moulds andaccessories of ¼ litre capačity	1⁄4 litre capacity	1	
16	Auto Blow Moulding Machine with set of moulds and accessories	1 litre capacity (with Microprocessor/PLC controller)	1	
17	Extruder with downstream lines such as film/pipe with re-processing unit.	30 mm with	1	
18	Injection Moulds ,	Pipe fittings/ mug/ etc.	2	
19	Blow Moulds	250 ml, 500 ml bottle mouldss	2	
20	Extrusion dies	Pipe/ profile dies	2	

2

	Part	C - TOOLS and ACCESSORIES	
SL N(NAME	SPECIFICATION	QUANTITY
1	Hacksaw frame	Adjustable with pistol grip for 200-300 mm blade	5
2	Centre punch	10 mm	5
3	File flat Medium	250 mm	10
4	File flat	2nd cut Medium 250 mm	10
5	File flat	safe edge 200 mm	10
6	File	triangular smooth 200 mm	10
7	Caliper	inside spring type-150 mm	5
8	Caliper	outside spring type-150 mm	5
9	Screw driver –	150 mm	5
10	Screw driver –	200 mm	5
11	File card		. 5
12	Hammer Ball Peen	0.5 kg with handle	5
13	Surface plate	300 x 300 x 80 mm	1
14	Fire Extinguisher	6 kg or less Wall mount	2
15	Fire buckets with stand	6.00 kilograms or less Standard size	2

Part D – CONSUMEBLES				
SL NO	NAME	SPECIFICATION	QUANTITY	
1	LDPE Injection grade		25	
2	LDPE Blow grade		25	
3	LDPE Extrusion grade		25	
4	HDPE Injection grade		25	
5	HDPE Blow grade		25	
5	HDPE Extrusion grade		25	
6	PP Injection grade	,	25	
7	PP Blow grade		25	
8	PP Extrusion grade		25	
9	PVC extrusion grade`		25	

Par	<u>t E – FURNITURE</u>		
1	Workbench	240 cm x 120 cm x 75 cm - suitable for fitting vices	1

Ratheesh V Vocational Teacher RT GVHSS Odakkali Sijuraj MS Vocational Instructor RT GVHSS Odakkali

> DIRECTOR STATE COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING VIDHYABHAVAN, POOJAPPURA THIRUVANANTHAPURAM KERALA



4